
HYDROGEN'S HIDDEN EMISSIONS

Shell's misleading climate claims for its Canadian fossil hydrogen project

January 2022

Shell's Scotford petrochemicals and tar sands oil complex in Alberta, Canada, where the company produces fossil hydrogen.
Robert McGouy/Alamy



-
- > Shell says the carbon capture system at its 'Quest' fossil hydrogen plant in Canada stopped five million tonnes of carbon dioxide from entering the atmosphere in less than five years.
 - > This claim only tells one side of the story, as a Global Witness investigation found the hydrogen plant released a further 7.5 million tonnes of greenhouse gases into the atmosphere over the same period – emissions from the plant that Shell does not publicise.
 - > Per year, the plant has the same carbon footprint as 1.2 million petrol cars.
 - > Industry lobbyists claim that 90% or more of the carbon dioxide produced at fossil hydrogen plants will be captured. However, only 48% of the carbon emissions produced at Shell's plant are being captured – far less than promised by the industry in general.
 - > When the plant's overall greenhouse gas emissions are factored in, such as methane pollution from the fossil gas supply chain, only 39% of its total emissions are captured.
 - > Shell's hydrogen plant is part of the company's tar sands operations in Alberta, where Indigenous and First Nations people are resisting the industry's severe environmental damage.
 - > The hydrogen plant's low carbon capture rate comes despite its carbon capture system costing a reported US\$1 billion, with US\$654 million of this amount coming from government subsidies.
 - > Fossil hydrogen is part of the fossil gas industry's strategy to prolong its life, despite the urgent need for a rapid phaseout of fossil fuels in order to meet the Paris Agreement goals.
 - > Policymakers, including in Canada, the US and EU, should not support new fossil hydrogen projects, and instead work to phase out existing ones or replace them with renewables-based alternatives.

Introduction: fossil-fuelled hydrogen hype

A well-funded army of gas industry lobbyists is pushing governments around the world to subsidise and deploy fossil hydrogen on a huge scale.¹

The gas lobby is heavily promoting hydrogen as a climate-friendly fuel that can replace fossil fuels across the economy, from transport to home heating to power generation.

Hydrogen's main selling point is that it emits no greenhouse gases at the point of consumption.² But this only tells part of the story, as at present

hydrogen is commonly produced from fossil gas, which causes high climate heating emissions.

Fossil fuel companies say that to reduce these emissions, they will apply 'carbon capture and storage' (CCS) systems to plants that produce hydrogen from fossil gas. Industry lobbyists claim that CCS can reduce the carbon emissions from fossil hydrogen by 90% or more.³

The fossil fuel industry calls hydrogen made with fossil gas and CCS 'blue hydrogen', and says it is a 'clean' or 'low carbon' fuel.

Governments, which often have close ties to the gas industry, have taken up lobbyists' call and are starting to champion fossil hydrogen.

Thirty-nine countries now have hydrogen strategies,⁴ from Australia to Chile to South Korea. Many of them pave the way to regulatory and financial support for fossil hydrogen,⁵ including the EU and UK strategies, as well as the US 'Hydrogen Earthshot' plan which promises government funding for fossil hydrogen.⁶

At present, global production of fossil hydrogen with CCS comes to around 700,000 tonnes per year. The International Energy Agency (IEA) contends that this should increase massively, going up to 200 million tonnes a year by 2050, with the agency saying this is needed to meet the Paris Agreement goals.⁸

To help assess industry's claims for fossil hydrogen's climate-friendliness, Global Witness investigated the greenhouse gas emissions from one of only a handful of existing fossil hydrogen plants that use CCS.⁹ The plant is owned by the oil major Shell, and is part of the company's Scotford refinery in Alberta, Canada, where the hydrogen is used to convert tar sands bitumen into synthetic crude oil.¹⁰

Key terms

> **Carbon capture and storage (CCS)** is a technology that aims to prevent carbon dioxide from entering the atmosphere at the point of emission – for example in the smokestack of a power plant. The captured carbon is then stored underground, or sold for use in other industrial processes.

> **Fossil hydrogen** (or 'blue hydrogen') is a fuel that oil and gas companies are promoting, which can be used instead of fossil fuels. It's made by converting fossil gas into hydrogen, and using CCS to capture some of the emissions that occur during the production process. CCS systems can be retrofitted to

existing plants that produce hydrogen from fossil gas, or by including CCS in new fossil hydrogen plants.

> **Renewable hydrogen** (or 'green hydrogen') can also be used instead of fossil fuels, and is made by passing a current of renewable electricity through water. If the electricity used is 100% renewable, the resulting hydrogen is virtually carbon free.

Shell's claims v climate impact

Shell has claimed that "blue [fossil] hydrogen produces little to no greenhouse gas emissions",¹¹ and is advocating for a large-scale expansion of fossil hydrogen.¹² The company is also a member of industry lobby groups that are pushing for a huge increase in fossil hydrogen production.¹³

So-called 'clean hydrogen' – a term used by Shell that covers both fossil and renewable hydrogen¹⁴ – plays a prominent role in Shell's energy transition strategy, with the company aiming for "a double-digit market share of global clean hydrogen sales by 2030".¹⁵

The 'Quest' CCS system at Shell's Albertan hydrogen plant is one of the company's flagship climate projects, and is cited in Shell's 'Climate Target' briefing as an example of what it's doing to tackle global heating.¹⁶

The CCS system also featured in Shell's 'Energy Podcast' series, is mentioned in the company's 'Powering Progress' organisational strategy, and has been covered multiple times in its promotional videos on YouTube.¹⁷

The CCS system was added to Shell's Albertan plant in 2015, which had been producing hydrogen from fossil gas for several years by that time.¹⁸

Ben van Beurden, Shell's CEO, attended the launch of the CCS system. In his speech, he said that the project "represents a significant milestone in the successful design, construction

and use of carbon capture and storage technology on a commercial scale”,¹⁹ and that CCS is “a key technology in the transition to a low-carbon future and in the fight against climate change.”²⁰



Shell CEO Ben van Beurden launching the company’s carbon capture and storage facility in Alberta, Canada in November 2015. *Reuters/Alamy*

In its promotional materials for the Albertan CCS system, Shell says that it prevented five million tonnes of carbon dioxide from reaching the atmosphere in under five years.²¹

But this doesn’t provide a full picture of the project’s impact on the climate, as five million tonnes is less than half of the carbon dioxide produced at the hydrogen plant over this period, so it remains a major emitter.

In fact, Shell’s CCS system captures just 48% of the carbon emissions produced at its fossil hydrogen plant.²² This is far below the 90% or higher carbon capture rate promised by industry for fossil hydrogen production in general.²³

When the project’s overall greenhouse gas emissions are factored in, such as methane pollution from extracting and transporting fossil gas used to produce the hydrogen, only 39% of its emissions are prevented from reaching the atmosphere.²⁴

This means that while Shell’s CCS system captured 4.81 million tonnes of carbon dioxide from 2015 to 2019, the hydrogen plant emitted a further 7.66 million tonnes of greenhouse gases over the same period.²⁵ Per year, the plant has

the same climate footprint as 1.2 million UK petrol-powered cars.²⁶

Shell states that its Albertan project shows CCS is a “safe and effective measure to reduce CO₂ emissions”,²⁷ and that the project “continues to be a thriving example of how carbon capture and storage is working; showing it can make a significant contribution to lowering CO₂ emissions.”²⁸

Global Witness believes these claims about the CCS facility are misleading, as they create the impression that the hydrogen plant is less damaging for the climate than is actually the case, while Shell’s promotional materials give no sense of the proportion of carbon dioxide emitted from its hydrogen plant.

GREENHOUSE GASES (GHG) CAPTURED VS EMITTED

Millions of tonnes, 2015-2019




Chart: Global Witness
Source: Shell (2021), Pembina Institute (2021)

Why Shell’s CCS system has a low carbon capture rate

Shell’s Albertan plant produces hydrogen through a process known as ‘steam methane reforming’, or SMR. This is by far the most common way of producing hydrogen from fossil gas, and it will remain so for many years to come.²⁹

The Albertan government requires Shell to publish technical reports on the performance of its CCS system. These show that it captures around 80% of the carbon emissions from the SMR process.³⁰

However, the SMR process only accounts for around 60% of the carbon emissions produced at the hydrogen plant. Another 40% of the carbon emissions come from a waste stream known as ‘flue gas’, and are not captured by Shell’s CCS system.³¹

As the CCS system captures only 80% of 60% of the carbon emissions produced at Shell’s plant, this brings its carbon capture rate down to 48%.

Why only 39% of the project’s overall greenhouse gas emissions are captured

We know that 52% of the carbon emissions produced at Shell’s hydrogen plant – the ‘on-site’ emissions – are not captured. But even this only tells part of the story, as fossil hydrogen projects generate greenhouse gas emissions outside of the production plant, which are also not captured. These include:

- > Methane emissions from the supply chain of fossil gas used to produce the hydrogen – from the gas fields where it’s extracted, through to gas processing plants and pipelines.
- > Carbon emissions from the energy used to power the CCS system.³²

Methane emissions from the supply chain for fossil gas are a particular concern. As a climate-heating pollutant, methane is more than 80 times more powerful than carbon dioxide over a 20-year period.³³

Methane leaks or is deliberately released at every stage of the fossil gas supply chain.³⁴ These emissions occur outside of hydrogen production plants, and are not captured by CCS systems.

Methane emissions rates


Along with the on-site carbon capture rate, the ‘methane emissions rate’ is a crucial factor in determining the climate impact of fossil hydrogen production. The methane emissions rate is the amount of methane emitted to the atmosphere from a supply chain of fossil gas as a percentage of the overall gas consumed.

Methane emissions rates vary depending on the methods used to identify them, and where the fossil gas is sourced from. Some reports show relatively low methane emissions rates. For example, the methane emissions rate for fossil gas used by Shell’s hydrogen plant in Alberta is estimated to be 0.6%.³⁵

This is substantially lower than the IEA’s estimate that the average methane emissions rate from fossil gas operations globally is 1.7%.³⁶ Other country-level studies have shown far higher methane emissions rates of up to 8%.³⁷

When all of the greenhouse gas emissions from Shell’s fossil hydrogen project are factored in, only 39% of them end up being captured.³⁸ This means that from 2015 to 2019, the project released 7.66 million tonnes of greenhouse gases into the atmosphere.

Sources of greenhouse gas emissions from fossil hydrogen production



Greenhouse gas emissions from Shell's Albertan fossil hydrogen plant, 2015-19

	Source of GHGs			Total GHGs produced	Total GHGs captured	Total GHGs released
	Supply chain for fossil gas	On-site CO2 produced at the hydrogen plant	Electricity to power the CCS system			
Tonnes of GHGs	1,580,000	10,023,000	868,000	12,469,000	4,813,000	7,656,000
% of overall GHGs	12.7%	80.3%	7%	100%	38.6%	61.4%

Global Witness estimates, see Annex for the methodology and sources.

Shell's tentative plan to increase the Albertan plant's carbon capture rate

In July 2021, Shell announced that it may try to increase the carbon capture rate at its Albertan hydrogen plant to 90% or more, with a final investment decision expected in 2023.³⁹ However, even if Shell goes ahead with the proposed project expansion, a number of points need to be considered:

- > The hydrogen produced would carry on being used to refine fossil fuels⁴⁰ that will be burnt and emit greenhouse gases, even though the vast majority of Canada's oil reserves need to stay in the ground to stand a 50% chance of limiting global heating to 1.5°C.⁴¹

Canada has ratified the Paris Agreement which aims to limit warming to this level, and Shell claims that it supports this goal.⁴² As such, Shell should be actively working to phase out its high carbon businesses, rather than using hydrogen to claim its fossil fuel products can be greener.

- > Success is not guaranteed. As shown below on page 10, almost 80% of government-backed, large-scale CCS projects initiated over the past three decades have been cancelled or suspended, and at least some of the CCS projects currently operating are capturing carbon at lower rates than intended.

- > Even if Shell managed to increase the carbon capture rate at its hydrogen plant, this would not reduce greenhouse gas emissions

from the supply chain for fossil gas or the energy used to power the CCS system.

Shell's response

Global Witness requested comments from Shell on the findings of this investigation, but the company did not respond.

First Nations' fightback

The damaging effects of fossil hydrogen don't stop at high greenhouse gas emissions. Hydrogen made from fossil gas is inextricably linked to fossil fuel industries that are having destructive impacts on people's health and livelihoods in Indigenous and other marginalised communities.

As an important element of Shell's tar sands operations, the Albertan hydrogen plant plays a role in supporting one of the most environmentally damaging extractive developments in the world,⁴³ which has encroached on Indigenous people's traditional lands for decades.⁴⁴

Tar sands production in Alberta – essentially mining and processing bitumen to produce oil – covers an area the size of England, and is one of the largest extractive projects on Earth.⁴⁵ The industry is causing environmental damage on an huge scale, including high greenhouse gas emissions, large-scale deforestation, air and water pollution, contamination of wildlife and land disturbance.⁴⁶

As Melina Laboucan-Massimo, a member of the Lubicon Cree First Nation said, “whether it be from toxic emissions and water contamination to the complete fragmenting and decimation of the boreal forest, tar sands development is completely altering our homelands and destroying the very foundation of who we are as Indigenous peoples.”⁴⁷

First Nations communities have been seeking justice for the damaging impacts of tar sands extraction on their health, livelihoods and land rights for many years. In 2008 for example, the Beaver Lake Cree Nation sued the federal and Albertan governments for failing to uphold its treaty rights.⁴⁸

Activists say that Beaver Lake Cree territory has been adversely affected by a huge number of industrial projects and infrastructure. These include 35,000 oil and gas sites, 21,700 kilometres of seismic lines, 4,028 kilometres of pipeline and 948 kilometres of road.⁴⁹

The lawsuit claims that the impacts of these developments are preventing the Beaver Lake Cree Nation from exercising their treaty rights, including to hunt and fish in their traditional territories.

The case could set a powerful precedent that would force regulators to evaluate industrial projects not on a one-by-one, piecemeal basis, but according to the cumulative impacts of industrial development on treaty rights.⁵⁰

As Crystal Lameman, treaty coordinator for the Beaver Lake Cree Nation said: “Indigenous rights are the last stronghold we have to stop the unmitigated expansion of the tar sands at source. The Beaver Lake Cree are carrying a case on their backs that could set historical precedence: success would mean that it would become much harder if not impossible to expand tar sands projects and would greatly curtail the industry’s expansion plans.”⁵¹



The Albian tar sands project in Alberta, Canada, part-owned by Shell. *Larry MacDougal/Design Pics Inc/Alamy*

Thirteen years after it was filed, the case is ongoing and is not due to reach trial until 2024.⁵² The protracted timeline highlights how difficult it can be for Indigenous communities to access environmental justice, with legal cases often taking a decade or more.

Currently, the Beaver Lake Cree Nation is fighting to obtain a court order that would see the Canadian and Albertan governments pay for some of the legal costs – a remedy that has historically been granted to some Indigenous Nations to ensure their access to justice.

Representatives for the Beaver Lake Cree Nation say that, while it has access to funds, these are needed for essential services and emergency support, such as repairing trucks that bring clean water to the community. According to one report, 85% of homes in the Beaver Lake reserve community are not connected to the main water line.⁵³

In an interview with *The Narwhal*, Crystal Lameman said: “Had we put all that money towards the litigation, we would have no money to fix our school.”⁵⁴

Lameman sees a double standard in how her nation is being treated. “A court would not say, ‘Alberta, you need to be completely broke.’ The same application would not be applied to a municipality, to a provincial government, to the federal government,” she added. “The systemic

racism is so deeply embedded... The fact they feel they can do this to a First Nations government is the reason why we didn't just let this die."⁵⁵

An economically unviable technology?

The low carbon capture rate at Shell's fossil hydrogen plant comes despite its CCS system receiving US\$654 million in government subsidies, with the total cost of the CCS system being a reported US\$1 billion.⁵⁶

According to a 2019 study by the IEA Greenhouse Gas R&D Programme (IEAGHG), the high capital and operating costs of Shell's Albertan CCS system show that deploying CCS in heavy oil processing plants is "not yet economic without considerable support in the form of government or external funding."⁵⁷ As a means to address Canada's obligations under the Paris Agreement, this is a poor use of tax-payer dollars.

The US\$1 billion outlay covered the cost of capturing only 48% of the on-site carbon emissions. More of the on-site emissions could be captured by applying CCS to the flue gas outlet,

which Shell is considering as part of its tentative plans to expand the Albertan project.

However, this would incur even higher costs. Shell reports that capturing flue gas emissions would increase the cost of installing CCS at fossil hydrogen plants by 60%, partly because it requires larger carbon capture equipment.⁵⁸

Applying CCS to flue gas emissions would therefore increase what already appear to be prohibitively high costs. According to Shell, a typically-sized hydrogen plant that sells the captured carbon dioxide could lose US\$12 million a year in revenues if it applied CCS to the flue gas emissions, because of the high cost.⁵⁹

Cleaner fossil hydrogen: more industry hype?

Some industry lobby groups have admitted that – when applied to SMR plants – CCS can result in low emissions capture rates.⁶⁰ As it traps only 48% of the on-site carbon emissions, Shell's Albertan CCS system is a case in point.

So instead of producing it with SMR technology, supporters of fossil hydrogen say that new production plants can be built that use different technologies to make hydrogen from fossil gas.



First Nation activists Melina Laboucan-Massimo (fifth from left) and Crystal Lameman (sixth from left) on the front row of a march in Washington DC. Manuel Balce Ceneta/AP/Shutterstock

These are ‘autothermal reforming’ (ATR), and ‘partial oxidation’ (POx).⁶¹

ATR and POx technologies still generate high on-site carbon emissions, so they would need CCS systems to capture these emissions.⁶²

The on-site carbon emissions from ATR and POx plants are released at one point in the hydrogen production process, rather than two points as with SMR.⁶³ This means that, in theory, CCS systems would be able to capture a higher proportion of on-site emissions at ATR and POx plants than is the case with SMR plants.

ATR and POx technologies, so industry claims, can outperform SMR with carbon capture rates of 94%⁶⁴ to 98%.⁶⁵ However, promises of low emissions from these technologies should be treated with caution, for several reasons:

Emissions from ATR and POx plants can easily exceed the limit allowed by EU sustainability rules

The carbon capture rates cited for ATR and POx technologies don’t account for the overall greenhouse gas emissions produced, such as from the fossil gas supply chain and from powering CCS systems. Once these are factored in, the proportion of emissions released into the atmosphere will be higher, and potentially much higher if the methane emissions rate is high.⁶⁶

Even with low methane emissions and high carbon capture rates, greenhouse gas emissions from fossil hydrogen produced with ATR and POx technologies could easily exceed the limit allowed by new EU sustainability regulations, which include criteria that define which investments are environmentally sustainable.

Meeting these criteria is desirable for companies as it could bring significant commercial benefits, such as making them more attractive to investors, enhanced competitiveness and further policy support from governments.

The EU regulations exclude any hydrogen that emits three or more tonnes of greenhouse gases for every tonne of hydrogen produced⁶⁷ (Shell’s Albertan plant emits double the EU limit, largely as a consequence of its low carbon capture rate).⁶⁸

Researchers have shown that even if an ATR plant had a high carbon capture rate of 98%, the methane emissions rate for its fossil gas supply would need to be below 0.6% for the hydrogen to comply with the EU’s sustainability regulations.⁶⁹ This analysis uses a 100-year ‘Global Warming Potential’ value for methane (see box below).

If a 20-year methane Global Warming Potential value is used, the methane emissions rate for fossil gas supplied to an ATR plant would need to be even lower – under 0.2% – for the hydrogen to comply with the EU regulations, assuming a high carbon capture rate of 98%.⁷⁰

Methane’s Global Warming Potential

Methane’s impact on the climate is commonly measured by its ‘Global Warming Potential’ (GWP) over time. Over a 20-year period, methane is estimated to be 83 times more powerful than carbon dioxide as a climate heating gas. Over a 100-year period, methane is 30 times more potent than carbon dioxide.⁷¹

Because methane emissions make up a substantial proportion of fossil hydrogen’s climate footprint, estimates of fossil hydrogen’s overall emissions can vary significantly depending on which GWP timeframe for methane is used.

If a 20-year GWP value is used, this results in methane emissions making a higher contribution to fossil hydrogen’s overall emissions than a 100-year GWP value for methane.

The emissions figures for fossil hydrogen cited in this briefing, including for Shell’s Albertan plant, use the more conservative 100-year GWP value for methane, unless otherwise stated.

Studies on countries that export fossil gas to the EU have found methane emissions rates that far exceed the levels needed to comply with the EU's sustainability regulations for hydrogen.

For example, a report by MIT researchers on fossil gas used in the US power sector estimates that methane emissions rates range from 1.5% to 4.9%.⁷² Another study estimates that Russian fossil gas, which makes up around 40% of the EU's gas imports, has methane emissions rates of 5% to 7%.⁷³

If ATR or POx plants used fossil gas with methane emissions at these rates, the resulting hydrogen would almost certainly overshoot the EU limit by a much wider margin, even if they achieved high carbon capture rates.

Emissions from ATR production v EU sustainability regulations

Methane Global Warming Potential	20 years	100 years
Carbon capture rate	98%	98%
Methane emissions rate	0.2%	0.6%
Greenhouse gasses emitted per tonne of hydrogen produced	3 tonnes (25 kgCO ₂ e/GJ H ₂)	
EU sustainability regulations – greenhouse gas emissions threshold for hydrogen per tonne produced	Below 3 tonnes	

Source: Baur *et al*, 2021.

Carbon capture's dismal track record

Globally, CCS technology has received billions of dollars in public funding over the past three decades.⁷⁴ Despite this, promises made by industry that CCS will be an effective tool for reducing carbon emissions have consistently failed to materialise.

A study of 263 government-supported CCS projects shows that of the 127 large-scale

projects in this dataset, 78% had been cancelled or suspended for three years or more.⁷⁵

The high project failure rate means that globally, existing CCS systems have the capacity to capture only 17% of the carbon emissions that announced CCS systems aimed to capture.⁷⁶

The actual volume of carbon being captured by existing CCS systems may be even lower than this 17% figure, as several of them are capturing less carbon than intended.⁷⁷

As such, a concern is that CCS systems for ATR or POx plants could capture less carbon than promised, or fail completely.

The SMR problem doesn't go away

SMR will remain the dominant technology used to produce hydrogen from fossil gas for many years to come. SMR plants already produce large volumes of hydrogen – around 53 million tonnes per year globally.⁷⁸ According to the Energy Transitions Commission, currently there are no ATR or POx plants that use CCS to produce fossil hydrogen,⁷⁹ and CCS systems can take six to 10 years to build.⁸⁰

So even if energy companies planned a large expansion of ATR or POx plants, it would be many years before they overtook production from SMR plants, if at all.

The vast majority of existing SMR plants have no CCS systems in place. Together, they emit around 600 million tonnes of greenhouse gases every year⁸¹ – more than the UK's and Italy's combined annual emissions from burning fossil fuels.⁸² Shell's Albertan plant highlights the risk that applying CCS to try and decarbonise more of the world's SMR plants could result in only a fraction of these emissions being captured, which would be disastrous for the climate.

Therefore, the problems inherent in using CCS to reduce emissions from SMR plants, as outlined in this briefing, remain critical.

Viable alternatives exist

Carbon-free alternatives to fossil hydrogen are available. These include direct electrification from renewables, energy efficiency, renewable hydrogen, and phasing out refineries.

In the EU, energy scenario modelling shows that genuinely sustainable options such as these would be able to meet the Paris Agreement goals by 2040 without the need for any fossil hydrogen,⁸³ and they can be ramped up within a similar timeframe to proposed new fossil hydrogen capacity.⁸⁴



A wind and solar energy development near Shanghai, China. Boosting renewables is a viable alternative to fossil hydrogen. *Yorusheng/Getty Images*

Hydrogen policy for a safe climate

Fossil fuel companies see fossil hydrogen as a way of continuing to make profits from extracting and burning fossil gas, whilst greenwashing it at the same time. This is despite all the evidence that fossil gas needs a rapid and managed phaseout to avoid catastrophic global heating.

As this briefing illustrates, any push to increase fossil hydrogen production would be dangerous. Far from being a low carbon fuel, hydrogen from fossil gas generates unacceptably high climate-heating emissions, and is inextricably linked to fossil fuel industries that are having devastating impacts on communities of colour.

Global Witness is calling for an accelerated transition away from fossil gas and with it, an end to the industry's destructive impacts on local communities. To help achieve this goal:

Policymakers, including in Canada, the US and EU should not provide regulatory or financial support for new fossil hydrogen projects. Instead they should work to phase out existing fossil hydrogen projects, and promote carbon-free alternatives to fossil hydrogen.

Shell should be fully transparent about the emissions from its fossil hydrogen plant, stop claiming fossil hydrogen is 'low carbon' and end its lobbying – directly and through industry associations – for governments' support for fossil hydrogen.

The Canadian government should ensure that communities affected by fossil fuel development have access to justice and are able to hold companies accountable for human rights and environmental harms.

Annex: methodology and sources

The emissions totals presented here for Shell's Albertan hydrogen plant are estimates based on data published by Shell and the Pembina Institute, a leading Canadian energy think tank.

Table 1: On-site CO₂ captured as a percentage of overall CO₂e produced by Shell's Albertan hydrogen project

Figure	Calculation	Source
On-site CO ₂ captured	33.8 gCO₂/MJ H₂ $= 36.6 / 52 \times 48$ $= \text{on-site CO}_2 \text{ emitted (gCO}_2\text{/MJ H}_2\text{)} / \% \text{ of on-site CO}_2 \text{ emitted} \times \% \text{ of on-site CO}_2 \text{ captured}$	On-site CO ₂ emitted (gCO ₂ /MJ H ₂) – Pembina Institute, table 2, 'Plant operation', page 12: https://www.pembina.org/reports/carbon-intensity-of-blue-hydrogen-revised.pdf On-site CO ₂ captured (%) – Pembina Institute, table 2, 'Carbon capture rate', page 12: https://www.pembina.org/reports/carbon-intensity-of-blue-hydrogen-revised.pdf
Overall CO ₂ e produced	87.6 gCO₂e/MJ H₂ $= 53.8 + 33.8$ $= \text{overall CO}_2\text{e emitted} + \text{CO}_2 \text{ captured (gCO}_2\text{/MJ H}_2\text{)}$	Overall CO ₂ e emitted – Pembina Institute, table 2, 'GHG intensity total', page 12: https://www.pembina.org/reports/carbon-intensity-of-blue-hydrogen-revised.pdf
On-site CO ₂ captured as % of overall CO ₂ e produced	38.6% $= 33.8 / 87.6 \times 100$	

Table 2: CO₂e emissions from Shell's Albertan hydrogen project expressed in tonnes, 2015-19

Figure	Calculation	Source
Overall CO ₂ e produced	12.469 Mt $= 4.813 / 38.6 \times 100$ $= \text{on-site CO}_2 \text{ captured (Mt)} / \text{on-site CO}_2 \text{ captured as \% of overall CO}_2\text{e produced} \times 100$	On-site CO ₂ captured (Mt) – Shell, table 4-1, page 4-2: https://open.alberta.ca/dataset/f74375f3-3c73-4b9c-af2b-ef44e59b7890/resource/ff260985-e616-4d2e-92e0-9b91f5590136/download/energy-quest-annual-summary-alberta-department-of-energy-2019.pdf % of overall CO ₂ e produced – GW calculation shown in Annex, table 1

On-site CO2 emitted	5.210 Mt $= 36.6 / 87.6 \times 12.469$ $= \text{on-site CO2 emitted (gCO2/MJ H2) / overall CO2e produced (gCO2e/MJ H2) x overall CO2e produced (Mt)}$	On-site CO2 emitted (gCO2/MJ H2) – Pembina Institute, table 2, ‘Plant operation’, page 12: https://www.pembina.org/reports/carbon-intensity-of-blue-hydrogen-revised.pdf Overall CO2e produced (gCO2e/MJ H2) – GW calculation shown in Annex, table 1
CO2e emitted from the fossil gas supply chain	1.580 Mt $= 11.1 / 87.6 \times 12.469$ $= \text{CO2e emitted from gas supply (gCO2e/MJ H2) / overall CO2e produced (gCO2e/MJ H2) x overall CO2e produced (Mt)}$	CO2e emitted from gas supply (gCO2/MJ H2) – Pembina Institute, table 2, ‘Natural gas production and transport’, page 12: https://www.pembina.org/reports/carbon-intensity-of-blue-hydrogen-revised.pdf
CO2e emitted from powering the CCS system	0.868 Mt $= 6.1 / 87.6 \times 12.469$ $= \text{CO2e emitted from CCS system (gCO2e/MJ H2) / overall CO2e produced (gCO2e/MJ H2) x overall CO2e produced (Mt)}$	CO2e from CCS system (gCO2e/MJ H2) – Pembina Institute, table 2, ‘Electricity’, page 12: https://www.pembina.org/reports/carbon-intensity-of-blue-hydrogen-revised.pdf
Overall CO2e emitted	7.656 Mt $= 12.469 - 4.813$ $= \text{overall CO2e produced - CO2 captured}$	

*Due to rounding and the use of two different data sources, the overall CO2e emissions figure total shown in row 2 does not match exactly the sum of the broken-down emissions figures.

Table 3: Average annual emissions from Shell’s Albertan hydrogen project compared with average annual emissions from UK petrol cars

Average annual GHG emissions from one UK petrol-powered car		
Figure	Calculation	Source
Average fuel consumption per UK petrol car per year	163.9 gallons $= 5,900 / 36$	Average miles travelled per UK petrol car per year (2020) – UK Department for Transport, reported by Nimblefins:

	<p>= average miles travelled per UK petrol car per year / average miles per gallon for UK petrol cars</p>	<p>https://www.nimblefins.co.uk/cheap-car-insurance/average-car-mileage-uk#</p> <p>Average miles per gallon for UK petrol cars – Spritmonitor data, reported by Nimblefins:</p> <p>https://www.nimblefins.co.uk/cheap-car-insurance/average-mpg</p>
CO2 emitted per UK petrol car per year	<p>1,456.58 kg</p> <p>= 163.9 x 8.887</p> <p>= average petrol consumption per UK petrol car per year x CO2 emissions per gallon of petrol</p>	<p>CO2 emissions per gallon of petrol – US Environmental Protection Agency:</p> <p>https://www.epa.gov/energy/greenhouse-gases-equivalencies-calculator-calculations-and-references#gasoline</p>
Total CO2e emissions per UK petrol car per year, after factoring in GHG emissions other than CO2	<p>1,466.85 kg</p> <p>= 1,456.58 / 0.993</p> <p>= CO2 emitted per UK petrol car per year / ratio of CO2 emissions to total CO2e emissions</p>	<p>Ratio of CO2 emissions to total GHG emissions – US Environmental Protection Agency:</p> <p>https://www.epa.gov/energy/greenhouse-gases-equivalencies-calculator-calculations-and-references#gasoline</p>
Average annual GHG emissions from Shell's Albertan hydrogen plant		
On-site CO2 emissions captured by Shell's CCS system over 4 full years' operation, 2016-19	<p>4.442 Mt</p>	<p>Shell, table 4-1, page 4-2:</p> <p>https://open.alberta.ca/dataset/f74375f3-3c73-4b9c-af2b-ef44e59b7890/resource/ff260985-e616-4d2e-92e0-9b91f5590136/download/energy-quest-annual-summary-alberta-department-of-energy-2019.pdf</p>
Overall CO2e emitted, 2016-19	<p>7.066 Mt</p> <p>= 4.442 / 38.6 x 61.4</p> <p>= on-site CO2 emissions captured (Mt) / % of overall CO2e emissions captured x % of overall CO2e emitted</p>	<p>% of overall CO2e emissions captured and emitted – GW calculation shown in Annex, table 1</p>
Average annual CO2e emissions from Shell's plant	<p>1.767 Mt</p> <p>= 7.066 / 4</p>	

	= Overall CO2e emitted / years of full operation	
Number of UK petrol cars whose average annual CO2e emissions equal the average annual CO2e emissions from Shell's hydrogen plant	1,213,000 cars = 1,767,000 / 1.45658 = annual CO2e emissions from Shell's plant (t) / CO2e emitted per UK petrol car per year (t)	

ENDNOTES

- ¹ Earthjustice, 'Reclaiming hydrogen for a renewable future: distinguishing oil & gas industry spin from zero emission solutions', August 2021, page 12: https://earthjustice.org/sites/default/files/files/hydrogen_earthjustice_2021.pdf
- ² Consumption of hydrogen is not entirely emissions-free, however. Burning hydrogen fuel produces nitrogen oxide, an air pollutant that can have severe adverse effects on human health. Renewable Energy World, 'Hydrogen hype in the air', 21 December 2020: <https://www.renewableenergyworld.com/hydrogen/hydrogen-hype-in-the-air/#ref>. Also, if hydrogen leaks from infrastructure such as pipelines, it acts as an indirect greenhouse gas by reacting with methane and ozone present in the atmosphere. Euractiv, 'Scientists warn against global warming effect of hydrogen leaks', 14 October 2021: <https://www.euractiv.com/section/climate-environment/news/scientists-warn-against-global-warming-effect-of-hydrogen-leaks/>
- ³ Hydrogen Council, 'Hydrogen decarbonization pathways: a lifecycle assessment', January 2021, page 6: <https://hydrogencouncil.com/wp-content/uploads/2021/01/Hydrogen-Council-Report-Decarbonization-Pathways-Part-1-Lifecycle-Assessment.pdf>; Global CCS Institute, 'Blue hydrogen', 2021, page 7: <https://www.globalccsinstitute.com/wp-content/uploads/2021/04/Circular-Carbon-Economy-series-Blue-Hydrogen.pdf>
- ⁴ Hydrogen Council, 'Hydrogen for net-zero: a critical cost-competitive energy vector', November 2021, page 8: <https://hydrogencouncil.com/wp-content/uploads/2021/11/Hydrogen-for-Net-Zero-Full-Report.pdf>
- ⁵ Longden, T et al, "'Clean' hydrogen? An analysis of the emissions and costs of fossil fuel based versus renewable electricity based hydrogen", Australian National University, March 2021, pages 6 and 7: <https://crawford.anu.edu.au/publication/cccp-working-paper/18648/clean-hydrogen-analysis-emissions-and-costs-fossil-fuel-based>
- ⁶ US Department of Energy, 'DOE announces \$52.5 million to accelerate progress in clean hydrogen', 7 July 2021: <https://www.energy.gov/articles/doe-announces-525-million-accelerate-progress-clean-hydrogen>
- ⁷ International Energy Agency, 'Global hydrogen review 2021', October 2021, page 130: <https://iea.blob.core.windows.net/assets/3a2ed84c-9ea0-458c-9421-d166a9510bc0/GlobalHydrogenReview2021.pdf>
- ⁸ International Energy Agency, 'Net zero by 2050: a roadmap for the global energy sector', July 2021, page 109: https://iea.blob.core.windows.net/assets/beceb956-0dcf-4d73-89fe-1310e3046d68/NetZeroBy2050-ARoadmapfortheGlobalEnergySector_CORR.pdf
- ⁹ International Energy Agency, 'Global hydrogen review 2021', October 2021, page 130: <https://iea.blob.core.windows.net/assets/3a2ed84c-9ea0-458c-9421-d166a9510bc0/GlobalHydrogenReview2021.pdf>
- ¹⁰ Shell, Scotford Upgrader: https://www.shell.ca/en_ca/about-us/projects-and-sites/scotford.html
- ¹¹ Shell, 'Q&A: Will CO2 capture help Canada mobilise a clean hydrogen economy?', 21 January 2021: <https://www.shell.com/business-customers/catalysts-technologies/resources-library/will-co2-capture-help-canada-mobilise-a-clean-hydrogen-economy.html>
- ¹² Recharge, 'Large-scale blue hydrogen may still be needed, even if green H2 is cheaper, says Shell VP', 19 April 2021: <https://www.rechargenews.com/energy-transition/large-scale-blue-hydrogen-may-still-be-needed-even-if-green-h2-is-cheaper-says-shell-vp/2-1-997772>
- ¹³ Hydrogen Council, 'Hydrogen decarbonization pathways: potential supply scenarios', January 2021, page 11: <https://hydrogencouncil.com/wp-content/uploads/2021/01/Hydrogen-Council-Report-Decarbonization-Pathways-Part-2-Supply-Scenarios.pdf>; Hydrogen4EU, 'Charting pathways to enable net zero', 2021, page 8: https://2d214584-e7cb-4bc2-bea8-d8b7122be636.filesusr.com/ugd/2c85cf_69f4b1bd94c5439f9b1f87b55af46afd.pdf
- ¹⁴ Shell, 'Energy transition strategy 2021', footnote, page 18: https://www.shell.com/promos/energy-and-innovation/shell-energy-transition-strategy/jcr_content.stream/1618407326759/7c3d5b317351891d2383b3e9f1e511997e516639/shell-energy-transition-strategy-2021.pdf
- ¹⁵ *Ibid*, page 18.
- ¹⁶ Shell, 'Our climate target', 2021, page 4 of pdf version: <https://www.shell.com/energy-and-innovation/the-energy-future/our-climate-target.html#iframe=L3dlYmFwcHMvY2xpbWF0ZV9hbWJp.dGlvbi8>
- ¹⁷ Shell, 'The Energy Podcast', May 2019: <https://open.spotify.com/episode/7wx5m0LTmgf5sm5AbBhDR7?si=653125cd3fea4c6b>; Shell, 'Powering Progress', February 2021, page 9 of pdf: <https://www.shell.com/powering-progress.html#iframe=Lw>; Shell, 'Can carbon capture and storage tackle climate change?', 10 December 2018: <https://www.youtube.com/watch?v=Ppa7gAb1NCo>; Shell, 'How it works: carbon capture and storage', 6 November 2015: <https://www.youtube.com/watch?v=EyPI20h9kx0>
- ¹⁸ Alberta Chamber of Resources, Scotford Upgrader: <https://www.acr-alberta.com/members/shell-scotford/#:~:text=In%202003%2C%20Shell%20opened%20an,Canada%2C%20Canadian%20Natural%20and%20Chevron>
- ¹⁹ Shell, 'Shell launches Quest carbon capture and storage project', 6 November 2015: <https://www.shell.com/media/news-and-media-releases/2015/shell-launches-quest-carbon-capture-and-storage-project.html>
- ²⁰ Shell, 'CCS: the world is watching', 6 November 2015: [https://www.shell.com/media/speeches-and-articles/2015/quest-ccs-the-world-is-watching.html#:~:text=Carbon%20capture%20and%20storage%20\(CCS,CCS%20in%20the%20long%20term](https://www.shell.com/media/speeches-and-articles/2015/quest-ccs-the-world-is-watching.html#:~:text=Carbon%20capture%20and%20storage%20(CCS,CCS%20in%20the%20long%20term)
- ²¹ Shell, 'Quest CCS facility captures and stores five million tonnes of CO2 ahead of fifth anniversary', 10 July 2020: https://www.shell.ca/en_ca/media/news-and-media-releases/2020/quest-ccs-facility-captures-and-stores-five-million-tonnes-of-co2-ahead-of-fifth-anniversary.html

[releases/news-releases-2020/quest-ccs-facility-captures-and-stores-five-million-tonnes.html](https://www.shell.ca/en_ca/media/news-and-media-releases/news-releases-2020/quest-ccs-facility-captures-and-stores-five-million-tonnes.html); @Shell, tweet, 10 July 2020: <https://twitter.com/shell/status/1281643369006010368?lang=en>

²² Pembina Institute, 'Carbon intensity of blue hydrogen production: accounting for technology and upstream emissions', August 2021, page 12: <https://www.pembina.org/reports/carbon-intensity-of-blue-hydrogen-revised.pdf>

²³ Hydrogen Council, 'Hydrogen decarbonization pathways: a lifecycle assessment', January 2021, page 6: <https://hydrogencouncil.com/wp-content/uploads/2021/01/Hydrogen-Council-Report-Decarbonization-Pathways-Part-1-Lifecycle-Assessment.pdf>; Global CCS Institute, 'Blue hydrogen', April 2021, page 7: <https://www.globalccsinstitute.com/wp-content/uploads/2021/04/Circular-Carbon-Economy-series-Blue-Hydrogen.pdf>

²⁴ See Annex, table 1.

²⁵ See Annex, table 2.

²⁶ See Annex, table 3.

²⁷ Shell, 'Quest carbon capture and storage': https://www.shell.ca/en_ca/about-us/projects-and-sites/quest-carbon-capture-and-storage-project.html

²⁸ Shell, 'Quest CCS facility captures and stores five million tonnes of CO₂ ahead of fifth anniversary', 10 July 2020: https://www.shell.ca/en_ca/media/news-and-media-releases/news-releases-2020/quest-ccs-facility-captures-and-stores-five-million-tonnes.html

²⁹ See page 10 of this briefing for details of current high production volumes from SMR plants vis-à-vis long lead times for constructing new fossil hydrogen plants that use different production technologies to SMR.

³⁰ Shell, 'Quest CO₂ capture ratio performance', February 2020, page 6: <https://open.alberta.ca/dataset/f74375f3-3c73-4b9c-af2b-ef44e59b7890/resource/c36cf890-3b27-4e7e-b95b-3370cd0d9f7d/download/energy-quest-co2-capture-ratio-performance-2019.pdf>

³¹ Pembina Institute, 'Carbon intensity of blue hydrogen production: accounting for technology and upstream emissions', August 2021, page 3: <https://www.pembina.org/reports/carbon-intensity-of-blue-hydrogen-revised.pdf>

³² Howarth, R & Jacobson, M, 'How green is blue hydrogen?', July 2021, table 1, page 1, 679: <https://onlinelibrary.wiley.com/doi/epdf/10.1002/ese3.956>

³³ Intergovernmental Panel on Climate Change, Sixth Assessment Report, 'Climate change 2021: the physical science basis', 6 August 2021, table 7.15, page 7-125: https://www.ipcc.ch/report/ar6/wg1/downloads/report/IPCC_AR6_WGI_Full_Report_smaller.pdf

³⁴ Global Energy Monitor, The Gas Index: <https://thegasindex.org/where-leaks-occur/>

³⁵ Pembina Institute, 'Carbon intensity of blue hydrogen production: accounting for technology and upstream emissions', August 2021, page 12: <https://www.pembina.org/reports/carbon-intensity-of-blue-hydrogen-revised.pdf>

³⁶ International Energy Agency, 'World energy outlook 2017', page 399: https://iea.blob.core.windows.net/assets/4a50d774-5e8c-457e-bcc9-513357f9b2fb/World_Energy_Outlook_2017.pdf

A 2021 global study of 252 fossil gas supply chains found that their average methane emissions rate is 1.7%, matching the IEA's 2017 figure. Cooper et al, 'The quantification of methane emissions and assessment of emissions data for the largest natural gas supply chains', *Journal of Cleaner Production*, October 2021, page 8 (paywall): <https://www.sciencedirect.com/science/article/pii/S0959652621030523>

³⁷ Bauer, C et al, 'On the climate impacts of blue hydrogen production', *Sustainable Energy & Fuels*, 7 January 2022, page 73: <https://pubs.rsc.org/en/content/articlepdf/2022/se/d1se01508g>

³⁸ See Annex, table 1.

³⁹ Shell, 'Shell proposes large-scale CCS facility in Alberta', 13 July 2021: https://www.shell.ca/en_ca/media/news-and-media-releases/news-releases-2021/shell-proposes-large-scale-ccs-facility-in-alberta.html

⁴⁰ *Ibid.*

⁴¹ Welsby, D et al, 'Unextractable fossil fuels in a 1.5°C world', *Nature*, 8 September 2021, page 231: <https://www.nature.com/articles/s41586-021-03821-8.pdf>

⁴² Shell, 'Our climate target', 2021, page 1 of pdf version: <https://www.shell.com/energy-and-innovation/the-energy-future/our-climate-target.html#iframe=L3dIYmFwcHMvY2xpbWF0ZV9hbWJp dGlvb18>

⁴³ National Geographic, 'This is the world's most destructive oil operation – and it's growing', 11 April 2019: <https://www.nationalgeographic.com/environment/article/alberta-canadas-tar-sands-is-growing-but-indigenous-people-fight-back>

⁴⁴ Melina Laboucan-Massimo, 'Awaiting justice: Indigenous resistance in the tar sands of Canada', *Open Democracy*, 22 April 2015: <https://www.opendemocracy.net/en/5050/awaiting-justice-indigenous-resistance-to-tar-sand-development-in-cana/>

⁴⁵ Greenpeace Canada, 'Everything you need to know about the tar sands and how they impact you', 17 May 2021: <https://www.greenpeace.org/canada/en/story/3138/everything-you-need-to-know-about-the-tar-sands-and-how-they-impact-you/>

⁴⁶ World Resources Institute, 'Tar sands threaten world's largest boreal forest', 15 July 2014: <https://www.wri.org/insights/tar-sands-threaten-worlds-largest-boreal-forest>; Natural Resources Defence Council, '10 threats from the Canadian tar sands industry', 13 August 2015: <https://www.nrdc.org/stories/10-threats-canadian-tar-sands-industry>; Scientific American, 'New tar sands impact on air pollution found', 25 May 2016: <https://www.scientificamerican.com/article/new-tar-sands-impact-on-air-pollution-found/>; McLachlan, M & Riddell, C "'Water is a living thing": environmental and human health implications of the Athabasca Oil Sands for the Mikisew Cree First Nation and Athabasca Chipewyan First Nation in Northern Alberta', July 2014: <https://bit.ly/3lZJstm>

⁴⁷ Indigenous Environmental Network & UK Tar Sands Network, 'Get Shell out of the tar sands', June 2011, page 4: https://www.no-tar-sands.org/files/wp-content/uploads/2011/06/ien_shell_factsheet-webnatsn.pdf

⁴⁸ Intercontinental Cry, 'Beaver Lake identifies 16,000 infringements in lawsuit', 20 May 2008: <https://intercontinentalcry.org/beaver-lake-identifies-16000-infringements-in-lawsuit/>

⁴⁹ RAVEN, 'Defend the treaties – legal backgrounder', 19 April 2018: <https://raventrust.com/tarsands-trial-legal-backgrounder/>

⁵⁰ RAVEN, 'Beaver Lake Cree Nation is headed to the Supreme Court!', 11 September 2021: <https://raventrust.com/beaver-lake-cree-nation-is-headed-to-the-supreme-court-2/>

⁵¹ The Guardian, 'Life above the Alberta tar sands – why we're taking the government to court', 8 April 2015: <https://www.theguardian.com/environment/keep-it-in-the-ground-blog/2015/apr/08/life-above-alberta-tar-sands-why-were-taking-government-to-court>

⁵² The Narwhal, "'Are you poor enough?': First Nations face compounding financial hardship when defending rights in court", 12 June 2021: <https://thenarwhal.ca/first-nations-canada-indigenous-rights-beaver-lake/>

⁵³ *Ibid.*

⁵⁴ *Ibid.*

⁵⁵ *Ibid.*

⁵⁶ IEAGHG, 'The Quest carbon capture and storage project', September 2019, page 23: <https://ieaghg.org/publications/technical-reports/reports-list/9-technical-reports/949-2019-04-the-shell-quest-carbon-capture-and-storage-project>. The US\$1 billion figure includes the capital cost of the CCS facility and the estimated cost of its first ten years of operation, and uses the average CAD-USD exchange rate for 2015 of 0.7832.

⁵⁷ *Ibid.*, page 145.

⁵⁸ Shell, 'Carbon dioxide capture options for steam methane reforming based hydrogen manufacturing units', 2021, table 1, page 10: https://www.globalwitness.org/documents/20218/Shell_carbon_dioxide_capture_white_paper_-_December_2021.pdf

⁵⁹ This assumes a carbon price of US\$60 per tonne. *Ibid.*, table 1, page 10.

⁶⁰ Hydrogen Europe states that retrofitting CCS to existing fossil hydrogen plants – i.e. SMR plants – can reduce their greenhouse gas emissions by 60%-65%. Hydrogen Europe, 'Hydrogen Act: towards the creation of the European hydrogen economy', April 2021, page 7: https://www.globalwitness.org/documents/20236/Hydrogen_Act_Hydrogen_Europe_-_April_2021.pdf. The Energy Transitions Commission states that carbon capture rates of 60% can be achieved at SMR plants at a moderate cost. Energy Transitions Commission, 'Making the hydrogen economy possible: accelerating clean hydrogen in an electrified economy', April 2021, page 25: <https://energy-transitions.org/wp-content/uploads/2021/04/ETC-Global-Hydrogen-Report.pdf>.

⁶¹ Energy Transitions Commission, *ibid.*, page 25: <https://energy-transitions.org/wp-content/uploads/2021/04/ETC-Global-Hydrogen-Report.pdf>

[content/uploads/2021/04/ETC-Global-Hydrogen-Report.pdf](https://energy-transitions.org/wp-content/uploads/2021/04/ETC-Global-Hydrogen-Report.pdf)

⁶² Energy Transitions Commission, *ibid.*, page 25: <https://energy-transitions.org/wp-content/uploads/2021/04/ETC-Global-Hydrogen-Report.pdf>

⁶³ Pembina Institute, 'Carbon intensity of blue hydrogen production: accounting for technology and upstream emissions', August 2021, pages 3 and 4: <https://www.pembina.org/reports/carbon-intensity-of-blue-hydrogen-revised.pdf>

⁶⁴ Gas For Climate, 'European hydrogen backbone: analysing future demand, supply, and transport of hydrogen', June 2021, page 66: https://gasforclimate2050.eu/wp-content/uploads/2021/06/EHB_Analysing-the-future-demand-supply-and-transport-of-hydrogen_June-2021_v3.pdf

⁶⁵ Hydrogen Council, 'Hydrogen decarbonization pathways: a lifecycle assessment', January 2021, page 12: <https://hydrogencouncil.com/wp-content/uploads/2021/01/Hydrogen-Council-Report-Decarbonization-Pathways-Part-1-Lifecycle-Assessment.pdf>

⁶⁶ Emissions modelling by Antonioni *et al.* assumes a 98% carbon capture rate for hydrogen produced using autothermal reforming technology. When lifecycle emissions are factored in, the capture rate falls as low as 79%. The study assumes a relatively low methane emissions rate of 0.6%. If the methane emissions rate were higher, the overall capture rate would be even lower. Antonioni, C *et al.*, 'Hydrogen production from natural gas and biomethane with carbon capture and storage – a techno-environmental analysis', *Sustainable Energy & Fuels*, 1 April 2020, page 2,979, figure 4: <https://pubs.rsc.org/en/content/articlepdf/2020/se/d0se00222d>

⁶⁷ European Commission, Taxonomy Regulation – Delegated Act, 4 July 2021, Annex 1, page 57: https://ec.europa.eu/finance/docs/level-2-measures/taxonomy-regulation-delegated-act-2021-2800-annex-1_en.pdf

⁶⁸ Analysis by the Pembina Institute estimates the lifecycle emissions from Shell's Albertan hydrogen project are 53.8 kg CO₂e/GJ H₂, using a 100-year methane Global Warming Potential value. This equates to 6.5 tonnes of greenhouse gases emitted for every tonne of hydrogen it produces. Pembina Institute, 'Carbon intensity of blue hydrogen production: accounting for technology and upstream emissions', August 2021, table 2, page 12: <https://www.pembina.org/reports/carbon-intensity-of-blue-hydrogen-revised.pdf>

⁶⁹ Methane emissions figure provided to Global Witness by the Paul Scherrer Institute, based on analysis of lifecycle emissions from autothermal reforming technology presented in Bauer, C *et al.*, 'On the climate impacts of blue hydrogen production', *Sustainable Energy & Fuels*, 7 January 2022: <https://pubs.rsc.org/en/content/articlepdf/2022/se/d1se01508g>

⁷⁰ *Ibid.*

⁷¹ Intergovernmental Panel on Climate Change, Sixth Assessment Report, 'Climate change 2021: the physical science basis', 6 August 2021, table 7.15, page 7-125:

https://www.ipcc.ch/report/ar6/wg1/downloads/report/IPCC_AR6_WGI_Full_Report_smaller.pdf

⁷² Klemun, M & Trancik, J, 'Timelines for mitigating the methane impacts of using natural gas for carbon dioxide abatement', *Environmental Research Letters*, 16 December 2019, page 2:

<https://iopscience.iop.org/article/10.1088/1748-9326/ab2577/pdf>

⁷³ Abrahams, L *et al*, 'Life cycle greenhouse gas emissions from U.S. liquefied natural gas exports: implications for end uses', *Environmental Science and Technology*, 15 February 2015, page 3,243:

<https://pubs.acs.org/doi/pdf/10.1021/es505617p>

⁷⁴ Wang, N *et al*, 'What went wrong? Learning from three decades of carbon capture, utilization and sequestration (CCUS) pilot and demonstration projects', *Energy Policy*, November 2021, figure 4, page 5 (paywall):

<https://www.sciencedirect.com/science/article/abs/pii/S030142152100416X>

⁷⁵ *Ibid*, page 2. The authors define government-supported CCS projects as 1) those that are more than 50% funded by government grants, or 2) executed by government bodies, universities, non-profit groups or state-owned companies. Large-scale CCS projects refer to those with a CO₂ capture capacity greater than 0.3 Mt per year.

⁷⁶ Wang *et al* state that: "if every CCUS project planned in the last 30 years was successfully delivered, the CO₂ capture capacity in operation in 2019 would be 232 Mt CO₂ per year". This was 17% of the world's carbon capture capacity (operating and in construction) of 40 Mt CO₂ per year in 2019, with global capture capacity remaining at 40 Mt CO₂ in 2021. Wang, N *et al*, *ibid*, page 2; Global CCS Institute, 'Global status of CCS', 2019 and 2021 updates:

<https://www.globalccsinstitute.com/resources/global-status-report/previous-reports/>

⁷⁷ Sydney Morning Herald, 'WA's Gorgon project fails to deliver on pollution deal, adding millions of tonnes of carbon a year', 16 February 2021:

<https://www.smh.com.au/national/millions-of-tonnes-of-carbon-added-to-pollution-as-gorgon-project-fails-capture-deal-20210215-p572na.html>

Institute for Energy Economics and Financial Analysis, 'Carbon capture goals miss the mark at Boundary Dam 3 coal plant', 20 April 2021: <https://ieefa.org/ieefa-saskpower-hits-carbon-capture-goals-at-boundary-dam-3-more-than-two-years-late/>

Mark Jacobson, 'The health and climate impacts of carbon capture and direct air capture', *Energy & Environmental Science*, December 2018, table 2, page 3,570 (paywall):

<https://pubs.rsc.org/en/content/articlelanding/2019/ee/c9ee02709b>

Midwest Center for Investigative Reporting, 'Despite hundreds of millions in tax dollars, ADM's carbon capture program still hasn't met promised goals', 19 November 2020:

<https://investigatmidwest.org/2020/11/19/despite-hundreds-of-millions-in-tax-dollars-adms-carbon-capture-program-still-hasnt-met-promised-goals/>

⁷⁸ US Department of Energy, 'Hydrogen strategy: enabling a low-carbon economy', July 2020, page 5:

https://www.energy.gov/sites/prod/files/2020/07/f76/USDOE_FE_Hydrogen_Strategy_July2020.pdf

⁷⁹ Energy Transitions Commission, 'Making the hydrogen economy possible: accelerating clean hydrogen in an electrified economy', April 2021, footnote 47, page 26:

<https://energy-transitions.org/wp-content/uploads/2021/04/ETC-Global-Hydrogen-Report.pdf>. According to the International Energy Agency, a POx hydrogen plant in the Netherlands began capturing carbon dioxide in 2005 for use in greenhouses, however the plant is not fully utilising the installed carbon capture capacity. International Energy Agency, 'Global hydrogen review 2021', October 2021, page 129:

[https://iea.blob.core.windows.net/assets/3a2ed84c-9ea0-458c-9421-](https://iea.blob.core.windows.net/assets/3a2ed84c-9ea0-458c-9421-d166a9510bc0/GlobalHydrogenReview2021.pdf)

[d166a9510bc0/GlobalHydrogenReview2021.pdf](https://iea.blob.core.windows.net/assets/3a2ed84c-9ea0-458c-9421-d166a9510bc0/GlobalHydrogenReview2021.pdf)

⁸⁰ Global CCS Institute, 'Net-zero and geospheric return: actions today for 2030 and beyond', September 2020, page 9: <https://www.globalccsinstitute.com/wp-content/uploads/2020/09/Netzero-and-Geospheric-Return-2.pdf>

⁸¹ The International Energy Agency estimates that the global average for GHG emissions from fossil hydrogen production without CCS is 11.7 kgCO₂e/kgH₂. International Energy Agency, 'Global hydrogen review 2021', October 2021, page 128:

[https://iea.blob.core.windows.net/assets/3a2ed84c-9ea0-458c-9421-](https://iea.blob.core.windows.net/assets/3a2ed84c-9ea0-458c-9421-d166a9510bc0/GlobalHydrogenReview2021.pdf)

[d166a9510bc0/GlobalHydrogenReview2021.pdf](https://iea.blob.core.windows.net/assets/3a2ed84c-9ea0-458c-9421-d166a9510bc0/GlobalHydrogenReview2021.pdf)

Multiplying this figure by the US Department of Energy's estimate for current global production of hydrogen from fossil gas of 53 Mt per year (see endnote 78) = 620 Mt CO₂e.

⁸² International Energy Agency, Energy Atlas, CO₂ Emissions From Fuel Combustion:

<http://energyatlas.iea.org/#/tellmap/1378539487>

⁸³ Climate Action Network Europe & European Environmental Bureau, 'Building a Paris Agreement compatible (PAC) energy scenario', June 2020, pages 5, 8 and 40:

https://www.caneurope.org/content/uploads/2020/06/PAC_scenario_technical_summary_29jun20.pdf

Deutsches Institut für Wirtschaftsforschung, 'Make the European Green Deal real – combining climate neutrality and economic recovery', June 2020, page 3:

https://www.diw.de/documents/publikationen/73/diw_01.c.791736.de/diwkompakt_2020-153.pdf

⁸⁴ Long lead times for fossil hydrogen and carbon capture investments mean that alternative, carbon-free options can be ramped up in the meantime. Also, a lack of availability of and access to local carbon storage facilities, failure to develop shared carbon pipeline networks, and public resistance to CCS could slow the pace of development of fossil hydrogen. Energy Transitions Commission, 'Making the hydrogen economy possible: accelerating clean hydrogen in an electrified economy', April 2021, page 62: <https://energy-transitions.org/wp-content/uploads/2021/04/ETC-Global-Hydrogen-Report.pdf>